

Body lice

Definition

Body lice are tiny insects (scientific name is *Pediculus humanus corporis*) that are spread through close contact with other people.

Two other types of lice are:

- Head lice
- Pubic lice

Alternative Names

Lice - body; Pediculosis corporis; Vagabond disease

Causes

Body lice live in the seams and folds of clothing. They feed on human blood and lay their eggs and deposit waste matter on the skin and clothing.

Lice die within 5 to 7 days at room temperature if they fall off a person, but they can live in clothing for up to 1 month.

You can get body lice if you come in direct contact with someone who has lice. You can also get lice from infected clothing, towels, or bedding.

Body lice are bigger than other types of lice.

You are more likely to get body lice if you do not bathe and wash your clothes often or live in close (overcrowded) conditions. Lice are unlikely to last if you:

- Bathe regularly
- Wash clothes and bedding at least once a week

Symptoms

Lice cause severe itching. The itching is a reaction to the saliva from the insect's bite. Itching is usually worse around the waist, under the arms, and in places where clothing is tighter and closer to the body (such as near bra straps).


You may have red bumps on your skin. The bumps may scab or become crusty after scratching.

Skin around the waist or groin may become thickened or change color if you have been infected with lice in that area for a long time.

Exams and Tests

Your health care provider will look at your skin and clothing for signs of lice.

- Full-grown lice are the size of a sesame seed, have 6 legs, and are tan to grayish-white.
- Nits are lice eggs. They will most often be seen in the clothing of someone with lice, usually around the waist and in the armpits.



You should also be checked for head and pubic lice if you have body lice.

Treatment

To get rid of lice, take the following important steps:

- Bathe regularly to get rid of lice and their eggs.
- Change your clothes often.
- Wash clothes in hot water (at least 130°F/54°C) and machine dry using the hot cycle.
- Items that can't be washed, such as stuffed toys, mattresses, or furniture, can be thoroughly vacuumed to get rid of lice and eggs that have fallen off the body.

Your provider may prescribe a skin cream or a wash that contains permethrin, malathione, or benzyl alcohol. If your case is severe, the provider may prescribe medicine that you take by mouth.

Outlook (Prognosis)

By taking the above mentioned steps, lice can be completely destroyed.

Possible Complications

Scratching can make your skin more likely to become infected. Because body lice spread easily to others, people you live with and sexual partners need to be treated as well. In rare cases, lice carry uncommon diseases, such as trench fever, which may be spread to humans.

When to Contact a Medical Professional

Call your provider if you have lice in your clothing or itching that does not go away.

Prevention

If you know someone is infested with body lice, avoid direct contact with that person, the person's clothing and bedding.

References

Diaz JH. Lice (pediculosis). In: Bennett JE, Dolin R, Blaser MJ, eds. *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, Updated Edition*. 8th ed. Philadelphia, PA: Elsevier Saunders; 2015:chap 294.

Kim HJ, Levitt JO. Pediculosis. In: Lebowitz MG, Heymann WR, Berth-Jones J, Coulson IH, eds. *Treatment of Skin Disease: Comprehensive Therapeutic Strategies*. 5th ed. Philadelphia, PA: Elsevier; 2018:chap 184.

Review Date: 7/25/2017

Reviewed By: David L. Swanson, MD, Vice Chair of Medical Dermatology, Associate Professor of Dermatology, Mayo Medical School, Scottsdale, AZ. Also reviewed by David Zieve, MD, MHA, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.